# **Avocados**



### **Grades**

U.S. No. 1.

U.S. Combination.

U.S. No. 2.

U.S. No. 3.

#### **Tolerances**

10% total, including 5% for decay and anthracnose, including 1% decay.

#### **Good Delivery Guidelines**

15% total, including 4% decay

## **Common Defects**

Damage by Russeting or similar discoloration when the appearance of the avocado is affected to a greater extent than that of an avocado which has light brown surface discoloration aggregating 10% of the fruit surface;

- 1. Scars or scab when the appearance of the avocado is affected to a greater extent than that of an avocado which has light brown superficial, fairly smooth scars aggregating 10% of the fruit surface;
- 2. Sunburn when the appearance of the avocado is affected to a greater extent than that of an avocado which has greenish-yellow colored sunburn aggregating 10% of the fruit surface; and,
- 3. Sunscald or sprayburn when not well healed, or when soft, or when the appearance of the avocado is affected to a greater extent than that of an avocado which has light brown, superficial scars aggregating 10% of the fruit surface.

Serious damage by Russeting or similar discoloration when the appearance of the avocado is affected to a greater extent than that of an avocado which has light brown surface discoloration aggregating 25% of the fruit surface;

- 1. Scars or scab when the appearance of the avocado is affected to a greater extent than that of an avocado which has light brown superficial fairly smooth scars aggregating 25% of the fruit surface;
- 2. Sunburn when the appearance of the avocado is affected to a greater extent than that of an avocado which has greenish-yellow colored sunburn aggregating 25% of the fruit surface;
- 3. Sunscald or sprayburn when not well healed, or when soft, or when the appearance of the avocado is affected to a greater extent than that of an avocado which has light brown superficial, fairly smooth scars aggregating 25% of the fruit surface;

